

Gigaset CORAL IP (C430(A) IP/C430H Design 1) (C530(A) IP/C530H, Design 2)





Design 2





USP: High quality VoIP communication solution with smart online convenience (HDSP, info services)

Interface: a/b (analogue) + IP/Ethernet (IEEE 802.3) for VoIP

Implementation: PSTN/PBX

DECT, GAP, SMS via fixed line or IP (RTP) 1, DHCP (Option 60, 114, 120), SIP, RTP, STUN, POP3/POP3S Standards:

Configuration:

Cordless telephone (IP and fixed line) for up to 6 handsets System:

Basic IP telephony features

- o Expandable phone system with multiline functionality for up to 6 handsets
- Up to 6 SIP accounts from different providers
- Assign SIP accounts individually to handsets (send &receive direction specifically)
- Multi-Line type system (6 x VoIP + 1 PSTN) allows: Line selection for each call via menu selection
- Up to 3 calls in parallel:
 - 2 internet calls or
 - 1 fixed-line call + 2 internet calls
- Easy configuration of internet telephony (VoIP) by wizard and download of provider setting profiles (>200 providers supported)

Enhanced IP Telephony

- Embedded SIP VoIP with codecs: G.711, G.722, G.726, G.729AB²
- Gigaset.net: free of charge calls between Gigaset VoIP phones. Nickname search in Gigaset.net community.
- Auto-fallback to PSTN, if the phone cannot establish a VoIP connection
- VoIP supplementary services (device controlled): conference, hold/toggle, call forwarding
- Call transfer via R key
- Quality of service¹⁾: ToS, Diffserv, configurable DSCP values for SIP and RTP

IP features and services

Online directories

- Online directory and Yellow Page search (multiple directories supported).
- Reverse search (number -> contact).
- Reverse lookup online (display of caller id from online directory)
- Link to user defined online directory

Key Benefits

- Large TFT colour display (1,8", 128x160 pixel, 65k colors)
- Easy to use state of the art designed User Interface
- High quality, ergonomic keypad (metal dome technology) Easy hands free talking in brilliant HDSP™ sound quality Phonebook for up to 200 names and 3 numbers each

- Easy personalization options
 - My Ringtone (1/30=selectable 1 out of 30)
 - My Big Clock screensaver (1/2)
 - My Colour scheme (1/2)
 - My Contacts (200 with 3 numbers each)
 - My Friend's birthday (birthday reminder) 0
 - My Sound profile (1/2)
 - My Soft keys (2) My Dates (30)

Email

- New Emails are indicated by illuminated MWI-key
- Read Emails on handset (up to 560 characters) 0
- Delete Emails via handset
- Support of POP3/POP3S Email accounts.

Applications and Services

- Easy access to online information via screensaver and interactive Info Center:
 - Weather, RSS Feeds, eBay Companion, Translator,
 - Encyclopedia, Horoscope, Biorhythm, Unit Converter,
 - User defined services
- Initiate calls from Info Service pages (click-to-call)



Setup and provisioning

- o Quickstart setup software
- o Easy configuration via web server or from handset
- o Administrator friendly configuration via config file
- Plug and Play Auto-provisioning for retail variant via
 - MAC address
 - Auto-configuration code
- Plug and Play Auto-provisioning for operator/customer variant via:
 - MAC address
 - TR069, TR104, TR106, TR111 / part 1 (part 2 on request)

System and software

- o Firmware update directly from handset, without file handling
- o Firmware downgrade to factory delivery status / last version
- o DHCP client (Option 60, 114, 120)
- VLAN tagging
- o HTTP Proxy support incl. 1.0 compatibility for chunked messages
- Increased virus protection thanks to protected operating system
- Clock synchronization using NTP (Network Time Protocol) server

Sound quality

- o HDSP™ 3) with G.722 codec for exceptional sound
- Handsfree talking with brilliant sound quality activated by handsfree key
- Adjustable volume of handset sound (5 levels for handset earpiece volume and 5 levels in handsfree mode)
- Ringer melodies with 5-tone adjustable volume settings, crescendo and on/off function via * key (long press)
- o 30 selectable ringtones (handset)
- Separate Speaker for handsfree
- o Selectable Sound profile (2 choices)
- Headset connection (mono) via 2,5mm jack connector (headset not included)

Convenience - phoning essentials

Range

o Indoor range: up to 50 meters o Outdoor range: up to 300 meters

Operation time

o Talk time: up to 14 hours o Standby time: up to 320 hours

Phonebook and dialing

- o Phone book with search function for up to 200 entries each
 - o given name
 - family name
 - 3 numbers (home, office, mobile)
 - assignment as VIP with ringtone
 - birthday
- Dial preparation (input of phone numbers before connecting) with easy correction possibility
- Redialing of the 20 last different numbers, start via send button
- o User-programmable speed-dial shortcuts using keys 2-9
- o Dialing: DTMF, Pulse, Flash (programmable)
- o Automatic prefix dialing or provider selection
- Directory transfer between different handsets and between

- handset and PC
- Name indication for: incoming calls, outgoing calls, missed calls list, redial list
- o Dialing plan: up to 30 dialing rules (call number, beginning of call number, IP line or PSTN, number blocking)
- 6 VIP-groups (a specific melody and color can be assigned to each VIP-group)
- o Support of local area codes

Receiving Calls

- Caller indication displayed via CLIP and CNIP displayed¹⁾
- o Display and send key lighted
- Ringer animation in display
- o Ringtone for VIP entries selectable
- Selectable ringer melodies
 - 30 selectable ringtones (mobile part)
 - 5 loudness levels + off + crescendo
- o Individual ringer melody for internal calls
- o Handset specific ringer tone selectable
- No disturbance because of selectable automatic Day / Night switch of ringer volume of handset

Missed Calls

- Comfortable access to missed calls list by dedicated, illuminated MWI-key
- 3 separate calls lists: missed calls (30 entries) / incoming calls (30 entries) / outgoing calls (60 entries). Each saving calls with caller indication (CLIP / CNIP base station required) and time ¹⁾
- o Direct dialing out of the missed calls list

General additional features

- "Contacts Push" smartphone application to transfer your contacts to your DECT mobile parts.
- o Plug & Play (unpack, connect the phone and conduct a
- o High quality, ergonomic keypad (metal dome technology)
- Alarm clock with snooze function (5 times) and selectable ringer melody
- o Date and time functions are protected against power failure
- o Clock synchronization using CLIP information (country specific feature) 1)
- o Birthday reminder (via phone book)
- o Modern handset design with convenient size and proportions
- o Valuable surface and colors
- o Comfortable dial and text editors
- o Alarm clock with snooze function
- o Baby-Alarm / room monitoring
- o Next generation User interface with 1,8" TFT
- o Editable internal handset name
- o Base unit and charger wall mountable
- o Support of Gigaset L410 "hands free badge"



Display and menu features

Display

- Illuminated graphical color display (1,8" TFT-technology with 128x160 pixel, 6 lines, 65k colour)
- Easy to use designed user interface; 2 color schemes

Standby

- Selectable and settable by user: Idle mode or Screensaver
- Screensaver: digital or analogue clock; 3 pictures (e.g. use for picture on package to present colour display)

In idle

- Display of date and time
- Display of state of battery life in different colours, handset name and signal strength / ECO mode
- Display of
 - Number of new calls
 - Number of new messages on AM 0
 - Missed birthdays
- Soft keys for quick selection of functions

While conducting a call

Display of call duration in talk mode

Menu

- Convenient menu for easy use in up to many languages (variable according to geographical region)
- Simple operation via colored icons and text based menu and soft kevs

Keypad features

- Ergonomic and precise keypad in high quality material (metal dome technology)
- 12 numeric keys
- Function keys O
 - Send/handsfree key (green LED)
 - End key (red LED) 0
 - Dedicated message key (red LED) 0
 - Keypad protection on/off via # key (long press)
 - Ringer tones on/off via * key
 - Flash key (R) (long press 0)
- 5 way Navigation key with center click for menu / ok
 - INT on left side of 5 way navigation key
 - Mute on right side of 5 way navigation key
 - Phone book at the bottom 0
 - Speaker level setting on Navi key up
- 2 soft keys (can be selected individually)
- Illuminated keypad including navigation area
- Keypad illumination colour: amber

Messaging functions (SMS)¹⁾

- Send and receive SMS messages via fixed line or IP (RTP) 1)
- Easy SMS setup including registration
- Sending/receiving of SMS with up to 612 characters 1)
- Storage of 30 SMS with 90 digits
- One common + 3 personalized SMS-Inboxes¹⁾
- Comfortable access to SMS-Services (info-channels)¹⁾
- Transmission of e-mails via SMS1)
- Copy of phone numbers from SMS to directory
- V-Card support: name and number can be taken over to

ECO DECT

- Up to 60% less energy consumption⁴⁾ thanks to an energy-saving power supply
- Reduction of transmitting power to almost zero when handset is docked (with only 1 registered handset) ECO Mode manual reduction of transmitting power by
- ECO Mode Plus ⁵⁾ for 100% reduction of transmitting power of base station and all registered handsets
- Variable reduction of transmitting power according to distance between handset and base station (handset only)

Accessories

- Handsets C430H, C620H, E630H and DCF type HS: SL910H / S820H / SL930H
- Handsfree CLIP Gigaset L410
- Headset via 2,5mm jack connector (e.g. Gigaset accessories)
- Charging cradle (not in all countries)
- Gigaset Repeater

Features with more than one handset

- 2 internet and 1 fixed-line call in parallel (VoIP and PSTN) and additionally 1 internal call or AM access simultaneously
- Internet or fixed-line 3-party conference (1 external / 2 internal participants)
- Phonebook transfer between handsets
- Ringing of handsets for internal calls can be selected: all or only one selected handset
- Internal transfer of external calls to another handset with prior consultation call
- Collective ringing on incoming external calls

Answering machine features (C530A IP/ C430A IP only)

- Up to 3 answering machines, not simultaneously
- Digital recording of voice messages with up to ~30 minutes (combined) recording time (saved against power loss) Listening in to incoming calls possible on all handsets
- Answering machine comfortable controlled via Navi-key
- Predefined announcement (plug & play)
 - Individual announcement and 3
 - advisory announcement (170 Sec.) recordable by user
- Time-controlled change between announcement and advisory message
- Recording date and time are announced
- Recording time adjustable: 1 / 2 / 3 minutes, unlimited
- Call acceptance adjustable:
 - immediately, automatic, after 10, 18, 30 Sec.
- Display of new messages at the desktop phone and handset
- New message notification via SMS to external number containing CLIP, date, time
- Remote listening of messages via
 - PIN-protected remote playback
 - SMS initiated call-back from AM Live recording of a telephone call



Fixed net operator features

- Support of provider features by use of Flash key, *key and # kev
- o FNO specific key
- Context sensitive menus for net-based operator features (conference etc.)

Technical data

Handset

o Standby time: up to 320 hours

o Talk time: up to 14 hours

o Battery: 2 x AAA (NiHM), 750 mAh

o Charging time: 6h in charger

o Indoor range: up to 50 meters

o Outdoor range: up to 300 meters

Dimensions H x W x D / weight (without batteries and belt clip)

Handset: 156 mm x 48 mm x 27 mm / 90 g

Belt Clip: 4 g Batteries AAA: 23 g

Base Station (AM) Base Station

o Power-saving 230 V switch-mode power supply

o Wall mountable

o Paging key on front of base station

o Connection of up to 6 handsets

o Paging key on front of base

o Dimensions (132 x 105 x 46 in mm)

o Weight base station: 120g

External charger (for packs or as accessory only)

- o Wall mountable
- Dimensions H x W x D / weight Charger: 75 mm x 71 mm x 38 mm / 39 g

Package contents

- o 1 handset
- o 1 belt clip
- o 1 handset charger
- o 2 standard AAA batteries (NiHM), 750mAh
- o 1 base station
- o 1 telephone cord
- o 1 Ethernet cable
- o 2 power supply units (base and charger)
- 1 Quick start Guide or CD-ROM
- o 1 Quick start Leaflet (variant specific)

Other packages

- o System
- o Handset-Bundle (standard Coral)
- o AM System

Color

- o Base station: shiny black
- o Design 1 handset: Black
- o Design 2 handset: Black

Market Introduction

o Market launch in Q2 2014 (Germany)

- 1) Dependent on country / network/ operator
- 2) Codec dynamically activated when the used network requests it (i.e. "on demand")
- 3) Support High Definition Sound Performance™ at VoIP base stations and behind Gateways with integrated DECT
- 4) Compared to conventional Gigaset base stations
- 5) When handset is idle or charging and when all registered handsets support ECO Mode Plus

Author

Name: Ralf Schweitzer
Org.: GC CP AI
Tel.: +49-2871-91-2212

E-Mail: ralf.schweitzer@gigaset.com

Copyright GC 2014

Reproduction of the content of this document in whole or part and/or its disclosure to a third party is strictly forbidden without the permission of its owner. Offenders are liable to pay for the damages. All rights reserved in the event of the grant of a patent or the registration of a utility model or design.